

## STP® ALL (MAKES & MODELS) GLOBAL ELC ANTIFREEZE/COOLANT





## **TECHNICAL DATA**

Since 1954, STP<sup>®</sup> has been the premier American Brand Name for automotive additives, lubricants and performance products in the USA. STP<sup>®</sup> ALL Global Extended Life Antifreeze/Coolant is an advanced formulation that meets or exceeds ASTM requirements. This premium ethylene glycol-based engine coolant is free of borates, nitrites, silicates, and amines. It protects all cooling system metals including aluminum, as well as rubber hoses, gaskets and plastics. Recommended for initial fill or top-off in all makes and models of foreign and domestic cars and light duty trucks.

Performance, Features & Benefits:	<ul> <li>Formulated to protect against winter freezing and summer boil over</li> <li>Extended Service Life – up to 5 years, or 150,000 miles</li> <li>Free of borates, nitrites, silicates, and amines</li> <li>Compatible with most antifreeze/coolant, regardless of color</li> </ul>	
Package Size Offerings	Concentrate 3x1 Case Concentrate Drum Concentrate Tote Ready-To-Use 3x1 Case Ready-To-Use Drum Ready-To-Use Tote	Part #11073 Part #10190 Part #10186 Part #11074 Part #10198 Part #10193
Aluminum Compatibility	Yes	
Contains Bitterant	Yes	
Base Fluid	100% Virgin Ethylene Glycol	
pH, 50% Volume Solution	8.0-9.0	
Product Color	Yellow	
Specifications, Approvals & Recommendations*†	ASTM D3306 ASTM D4985 SAE J1941 *For a full list of performance specifications, visit www.stpcoolant.com. 'Meets most performance requirements but may or may not meet certain chemical requirements.	
Recommended Change Interval	Up to 5 Years/150,000 Miles	



KOST<sup>®</sup> USA, Inc. recommends to always properly dispose of spent coolant. Contact your state or local municipality for instructions on proper disposal to protect our environment. If a coolant spill occurs, call local authorities and ask for proper instruction on how to clean up the spill.

All reasonable care has been taken to ensure that the information herein is accurate as of the date of printing. The test results listed are typical properties only. Formula and blending changes may result in slight color and appearance changes. STPPDS02082016

KOSTUSA